

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	((printed with circuit with board) or (circuit with board) or pcb) and (((trench or trace) with vias) and (dielectric or insulat\$3) and primer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/09 11:54
L2	1205	(428/596).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/09 11:55
L8	561	(428/607).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/09 12:01
L10	1271	(428/626).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/10/09 12:02
S10	6	((HANNES) near2 (HORMANN)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/05/06 19:07
S61	843	S50 and (horizontal with (technique or method))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/05/13 11:30
S63	371	(205/80).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/15 09:32
S64	0	(219/121.690).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/15 09:33
S67	3654	(428/209).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/15 09:35
S62	3705	(428/209).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/02 09:44
S70	250429	*428*/\$.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/11/02 15:35
S73	252550	*428*/\$.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/01/11 18:25
S74	4673	S73 and (pcb or (print\$3 circuit board))	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/01/11 18:27
S75	2638	S74 and @pd< "20040129"	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/01/11 18:28
S76	7	S75 and (via or vias) and (trench or recess) and trace	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/01/11 18:29

S79	8352	(29/830,831,832,852).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/21 16:52
S80	47	S79 and (PCB or (print\$3 circuit board)) and traces and dielectric and (laser ablation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 16:53
S86	31	(high density interconnection) and (PCB or (print\$3 circuit board)) and ((copper or metal) adj layer) and dielectric and (laser ablation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/21 18:29
S89	8586	(29/830,831,832,852).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 18:53
S90	97	S89 and (PCB or (print\$3 circuit board)) and ((copper or metal) adj layer) and dielectric and (laser ablation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/18 18:53
S98	3651	(29/846).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 20:38
S103	4845	(257/40).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/19 10:15
S105	3651	(29/846).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/19 10:52
S106	1976	S105 and ((printed with outcut with board) or (circuit with board) or pcb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/06/19 10:52
S107	323	S106 and (laser with (ablat\$3 or remov \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 10:53
S108	208	S106 and (laser with (ablat\$3 or remov \$3)) and @< "2005"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 10:53
S111	14	"29"/\$.ccls. and (vias with V-shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 14:34
S112	8586	(29/830,831,832,852).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/19 14:35
S114	3	"428"/\$.ccls. and (vias with V-shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 14:37
S115	3	"428"/\$.ccls. and ((vias or trench or trace) with V-shape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/19 14:37
S116	3651	(29/846).CCL.S	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/19 14:38

S121	38	((REINHARD) near2 (SCHNEIDER)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/10/07 16:08
S122	30	((DAVID) near2 (BARON)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/10/07 16:10
S128	2173	((printed with circuit with board) or (circuit with board) or pcb) and (trench \$2) and vias	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/07 16:17
S129	1959	S128 and (dielectric or insulat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/07 16:17
S130	83	S129 and (primer) and (metal near layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/07 16:18
S131	230	S129 and (laser near ablat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2010/10/07 16:48
S132	213	S131 not S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/10/07 16:58

EAST Search History (Interference)

<This search history is empty>

10/ 9/ 2010 12:35:30 PM

C:\Documents and Settings\hnguyen45\My Documents\EAST\Workspaces\10587691.wsp